

e-STUDIO™ 3005AC

e-STUDIO™ 3505AC

e-STUDIO™ 5005AC

- > Colour Multifunction Printer
- > Up to 50 PPM
- > Medium/Large Workgroup
- > Copy, Print, Scan, Fax
- > Secure MFP
- > Solutions Ready



CONNECT. INTEGRATE. SIMPLIFY.

Technology for every office, delivering advanced functionality, ease of use and peace of mind.

Every industry has unique workflow needs. Toshiba has developed customizable MFPs to make your job easier. Intuitive and smartly integrated, our products simplify complex tasks and give you control while providing the reliability Toshiba is known for.

Toshiba's latest series delivers on our promise of Together Information – our commitment to collaborate with clients in order to provide tailored, cost-effective solutions to meet specific print, document management and content needs.

- 30, 35 & 50 PPM
- High-resolution colour
- High-volume black & white
- Advanced e-BRIDGE technology
- Fast dual-core processor

Toshiba's next-generation e-BRIDGE controller delivers exceptional colour quality.

Don't restrict yourself to black and white when you can print with impactful colour. Not just any colour, either. It's Toshiba's new, 4-beam laser colour with higher resolution for top-notch image quality.

- 1,200 dpi x 1,200 dpi (PostScript 3) for exceptional laser quality
- The Toshiba e-BRIDGE Colour Profile Tool allows for the creation of profiles to adjust colour for varying media types, lighting or even to match Pantone colours, unique spot colours or output from another device
- 256 gradations for smooth transitions in photographs and illustrations
- Auto-calibration ensures consistency of colour across small and large print jobs

Simple, smart and stylish.

A new 9" tablet-style touch screen with an embedded web browser is easy to use and customizable to meet your needs. And, it is part of the bold new look being introduced across the new e-STUDIO series.



SMALL FOOTPRINT, BIG BUSINESS.

Even with a relatively small footprint, the e-STUDIO5005AC series is packed with industry-leading technology and innovations designed to help workgroups connect, integrate and simplify.

Dual-Scan Document Feeder holds an amazing 300 originals and boasts an impressive 240 images per minute (IPM) by scanning both sides of the page in a single pass.

Multi-Station Print Solution allows you to retrieve your print job from a series of networked MFPs via simple authentication.

Print Around eliminates printing bottlenecks by allowing other print jobs to go around one job that's held-up due to requiring a specific paper size or type or, in some cases, even coloured toner.

Limitless Job Reservation will queue up multiple copy or print jobs so users can send jobs whenever.

Embedded Optical Character Recognition (OCR) simplifies the creation of searchable PDFs or editable document formats such as Microsoft Word®.

Exclusive ECO Crystal Media water and tear resistant media up to 305mm x 1,200mm banner size.

Saddle/Fold Capabilities offer saddle-stitch finishing and the option to fold without stapling.

Scan-to and Print-from USB lets you print straight from your USB drive or scan documents to it.

Notifications Feature takes the hassle out of checking for depleted supplies or maintenance needs.

Paper Volume Indicators on the front panel make it easy to see the paper sizes, types and levels in each cassette.

Context-Sensitive Help Button provides instant, thorough explanations straight from the manual to help as needed.

Service Module Design significantly reduces the cost and time spent servicing the MFP.



TOSHIBA TECHNOLOGY NEVER LOOKED BETTER.

Keeping medium to large workgroups in mind, the e-STUDIO5005AC series is easily integrated, customizable and solutions ready, with an open platform.

Flexible integration with third-party solutions applications, an embedded web browser brings the workflow to one location, at your fingertips.

Toshiba's exclusive e-BRIDGE Print & Capture application enables mobile device users to take advantage of the broad feature set when they're in the office and on the go.

A universal driver along with PCL 6, PS3, and XPS support provide fast and easy connectivity to Windows®, Macintosh® and more.

The universal print driver works for all users. Tandem print comes standard, and you can choose from a variety of time-saving, function-adding plug-ins that enable productivity from the driver. For instance:

- Job Point—quickly split up large jobs with up to 10 Toshiba MFPs
- Job Replicator—use multi-part form replacement (3 prints)
- Job Separator—perform batch printing easily using any Windows app
- Job Build—conveniently print different document types all together as a single job

Tight Security

Along with all of the new and innovative Toshiba technologies, we keep the security of your business top of mind.

- A 320GB Self-Encrypting Drive (SED) with Automatic Drive Invalidation (ADI) & Data Overwrite capability provides top level security
- IPsec is available to securely encrypt data sent to and from the MFP

Environmental Protection

Innovation that is truly innovative makes certain that our environment is part of the equation, which is precisely what we do here at Toshiba.

- RoHS compliance, the use of recycled plastics, and Low-Power (1W) Super Sleep Mode work to help the environment
- EPEAT Gold Registered in the global registry for greener electronics, designed to help purchasers choose products that reduce environmental impact
- Energy Star Tier 2 meets the latest, more stringent requirements



FEATURES, BENEFITS, AND THE WOW FACTOR.

1 Document Feeder Options

- MR4000 Dual-Scan Document Feeder (DSDF)
- MR3031 Reversing Automatic Document Feeder (RADF)
- KA5005PC Platen Cover

2 Accessory Tray & Options

- GR1250 Accessory Tray
- GR1260 10-Key Numeric Keypad

3 Finishing Options

- MJ1042 50-Sheet Inner Finisher
- MJ1109 50-Sheet Console Finisher
- MJ1110 50-Sheet Saddle-Stitch Finisher
- MJ5015 Job Separator

4 Additional Paper Options

- KD1058 Paper Feed Pedestal
- KD1059 2,000-Sheet Large Capacity Feeder
- MY1048 Additional Drawer Module for PFP
- MY1049 Envelope Cassette



Additional Option Highlights

- Embedded OCR Enabler
- Multi-Station Print Solution
- Wireless LAN/Bluetooth
- IPsec Security Enabler
- Hardcopy Security Printing
- Single & Dual-Line Facsimile
- Hidden Card Reader Pocket
- Expansive Third-Party Solutions List

The Toshiba e-STUDIO5005AC series can increase the efficiency of your workgroups, improve the professionalism of your presentations, and streamline the workflow of your organization. And, that's just for starters.

Double the Scan Speed

A 300-sheet high-speed, high-capacity Dual-Scan Document Feeder (DSDF) produces up to 120 IPM simplex and 240 IPM duplex. A conventional RADF is available for less scan-intensive businesses.

Envelopes—the Perfect Fit

A special envelope cassette is available to hold up to 50 envelopes, making sure each one is fed and printed in the same place, every time.

Volumes and Volumes

A high monthly copy volume is up to 210,000 for monochrome and up to 105,000 for colour printing. Toner yields are 33,600 CMY and 38,400 K (at 5%) respectively.

Multi-Station Print Solution

Toshiba's internally developed Multi-Station Print Solution allows users to send print jobs from their desktop and retrieve them at any convenient MFP by simply swiping their badge and authenticating at that device.

Advanced e-BRIDGE Technology

Built on Linux®, this next-generation e-BRIDGE architecture features an Embedded Web Browser, a fast dual-core processor, 4GB RAM and a 320GB Self-Encrypting Drive (SED) enabling the MFP to easily drive Toshiba's internally developed solutions or even third-party applications.

e-STUDIO™ 3005Ac/3505Ac/5005Ac

Main Specifications

Copy System	Indirect Electrostatic Photographic Method
Display	9" Colour WVGA Touch Screen Tilting Display
Copy Speed	30/35/50 PPM (A4)
First Copy Out	Colour: 7.8/7.8/5.7 Monochrome: 5.9/5.9/4.4 Approx. 20 Seconds
Warm-Up Time	600 x 600 dpi
Copy Resolution	100 x 148 mm to 320 x 460 mm, 305 x 1,200 mm Banner, Envelope
Stack Feed Bypass	Up to 999 Copies
Multiple Copying	Standard 1,200 Sheets/Max. 3,200 Sheets (w/Optional LCF)
Paper Capacity	Optional 300-Sheet DSPF or 100-Sheet RADF
Original Feed	DSDF Scan: Up to 240 IPM Duplex, 120 IPM Simplex (Monochrome or Colour)(35-209 g/m ²) RADF Scan: Up to 73 IPM (Monochrome or Colour), Simplex: 35-157 g/m ² , Duplex: 50-157 g/m ²
Scan Speed & Weights	A3
Max. Original Size	Drawer 1: 550 Sheets-A5-R to A3 (60-256 g/m ²) Drawer 2: 550 Sheets-A5-R to 320 x 460 mm (60-256 g/m ²)
Paper Feed Sizes	Stack Feed Bypass: 100 Sheets-100 x 148 mm to 320 x 460 mm, 305 x 1,200 mm Banner (52-280 g/m ²) Opt. 550-Sheet Paper Feed Pedestal-A5-R to 320 x 460 mm (60-256 g/m ²) Opt. 550-Sheet Drawer for PFP -A5-R to 320 x 460 mm (60-256 g/m ²) Opt. Envelope Cassette for PFP-Approx. 60 Envelopes/550 Sheets-A5-R to A4-R (60-256 g/m ²) Opt. 2,000-Sheet Tandem LCF (Pedestal Type)-A4 Only (64-105 g/m ²) Standard Automatic Duplex Unit (60-256 g/m ²)
Duplex	25% to 400%
Reproduction Ratio	Approx. 75.5 kg
Weight	585 (W) x 640 (D) x 787 (H) mm
Approx. Dimensions	CMY: 33.6K, K: 38.4K (5% Coverage)
CMYK Toner Yield	220-240 Volts, 50/60 Hz, 8 Amps
Power Source	Maximum 2.0 kW (220-240V)
Power Consumption	Intel Atom™ 1.33 GHz (Dual-Core)
CPU	4GB
Memory	320GB Self-Encrypting Drive Toshiba Secure HDD
Hard Disk Drive	

e-BRIDGE Print Specifications

PDL	PCL5e, PCL5c, PCL6 (PCL XL), PS3, PDF, XPS, JPEG
Print Speed	30/35/50 Pages Per Minute (A4)
Print Resolution	600 x 600 dpi (5 bit) 1,200 x 1,200 dpi (2 bit) PS3 Only 3,600 x 1,200 dpi (BW/ with Smoothing) PS3 Only
Operating Systems	Windows® Vista, Windows 7, 8, 8.1, 10, Windows Server 2008/R2, Windows Server 2012/R2, Macintosh® (Mac OS x 10.6, 10.7, 10.8, 10.9, 10.10, 10.11), Unix®, Linux®
Network Protocols	TCP/IP (IPv4, IPv6), NetBIOS over TCP/IP, IPX/SPX® for Novell® Environments, EtherTalk® for Macintosh Environments
Interface	RJ-45 Ethernet (10/100/1000 base-T), USB 2.0 (High-speed), Optional 802.11b/g/n Wireless LAN/Bluetooth
Wireless Device	AirPrint, Mopria, e-BRIDGE Print & Capture Application on iOS and Android (Available via Apple App Store or Google Play)
Device Management	Top Access, EFMS 6.2 (e-BRIDGE Fleet Management Software)
Account Control	Up to 10,000 Users or 1,000 Departments Supports User Authentication (on Device), Login Name/Password (via Windows domain) or Login Name/Password (via LDAP Server) for Copy, Print, Scan, Fax, List and User Function
Environmental Stds. Certification	Energy Star (V2.0), EPEAT Gold, Blue Angel Mark (RAL UZ-171, MFD), RoHS WHQL (Windows 7, 8, 8.1, 10, 2008 R2, 2012, 2012 R2), Novell, Citrix, SAP



This is Class 1 laser product complying with IEC60825-1.

Windows is a registered trademark of Microsoft Corporation in the United States and other countries. iPad, iPhone, iPod, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries. AirPrint and the AirPrint logo are trademarks of Apple Inc. IOS is a registered trademark of Cisco in the United States and other countries and is used under license. Android is a trademark of Google Inc. All other brand and/or product names are trademarks of their respective owners. Mention of third party products herein is for informational purposes only.

This brochure was compiled based on information that was accurate prior to product launch. Product design and specifications are subject to change without notice. The colour(s) of the actual product may vary from the colour(s) shown in this brochure. No part of this material may be used or reproduced in any manner whatsoever without permission. 1GB is equivalent to 1 billion bytes. Warm-up time and print speed may vary depending on the operating environment. ©2016 TOSHIBA TEC CORPORATION All rights reserved.

As an ENERGY STAR Partner TOSHIBA TEC CORPORATION has determined that this multifunctional device model meets the ENERGY STAR guidelines for energy efficiency.

TOSHIBA TEC SINGAPORE
www.estudio.com.sg

Toshiba TEC Singapore Pte Ltd
2 Ang Mo Kio Street 62
Singapore 569138
Tel : (65) 6481 9488
Fax : (65) 6481 2385

Scan Specifications

Scan Speed	DSDF Scan: Up to 240 IPM Duplex, 120 IPM Simplex (Monochrome or Colour) RADF Scan: Up to 73 IPM (Monochrome or Colour)
Scan Modes	Full Colour, Auto Colour, Monochrome, Grayscale
Scan Resolution	600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi
File Formats	Monochrome: TIFF-Multi/Single Page, PDF-Multi/Single Page, XPS-Multi/Single Page, DOCX (Opt.), XLSX (Opt.), PPTX (Opt.), Searchable PDF (Opt.) Colour/Grayscale: TIFF-Multi/Single Page, PDF-Multi/Single Page, XPS-Multi/Single Page, Slim PDF, JPEG, DOCX (Opt.), XLSX (Opt.), PPTX (Opt.), Searchable PDF (Opt.)

Facsimile Specifications

Compatibility	Super G3, G3
Data Compression	MH/MR/MMR/JBIG
Transmission Speed	Approx. 3 Seconds Per Page
Fax Modem Speed	Up to 33.6 Kbps
Memory Transmission	100 Jobs (with HDD), 2,000 Destinations Max. 400 Destinations/Job
Scan Speed	0.7 Seconds Per Page, Maximum 73 IPM


e-Filing Specifications

Operation Method	Colour Touch Screen Control Panel or Client PC
Number of Boxes	1 Public Box, 200 Private User Boxes
Capacity of Boxes	100 Folders Per Box, 400 Documents Per Folder/Box, 200 Pages Per Document

Accessories (Options)

Platen & Document Feeder Options		
DSDF	MR4000	Embedded OCR Option
RADF	MR3031	Data Overwrite Enabler
Platen Cover	KA5005PC	Single License
		Five Licenses
		Multi-Station Print Solution Option
		Single License
		Five Licenses
Additional Paper Options		
Paper Feed Pedestal	KD1058	Stand
Drawer Module	MY1048	Accessible Arm
Envelope Cassette Option	MY1049	Work Tray
Large Capacity Feeder	KD1059A4	Harness Kit for Coin Controller
		Manual Pocket
Finishing Options		
Inner Finisher	MJ1042	
50-Sheet Staple Finisher	MJ1109	
Saddle-Stitch Finisher	MJ1110	
Hole Punch Unit for MJ1042	MJ6011	
Hole Punch Unit for MJ1109/MJ1110	MJ6105	
Bridge Kit	KN5005	
Job Separator	MR5015	
Staple Cartridge for Finisher	STAPLE2400	
Staple Cartridge for Saddle	STAPLE3100	
Connectivity/Security Options		
FAX Unit/2nd Line for FAX Unit	GD1370	
Wireless LAN/Antenna/Bluetooth	GN4020	
Hardcopy Security Printing	GP1190A	
Accessory Tray	GR1250	
Panel 10-Key Option	GR1260	
Meta Scan Enabler	GS1010	
IPsec Enabler	GP1080	
Meta Scan Enabler	GS1007	
Data Overwrite Enabler	GP1070	
Card Reader Holder	GR1290	

Distributed by



All company and/or product names are trademarks and/or registered trademarks of their respective owners. All features and specifications described in this brochure are subject to change without notice.

©2016 TOSHIBA TEC CORPORATION. All rights reserved.

R140611P0200-TTEC